


AI Ending The Epidemic Metrics



NEW INTERACTIVE DATA: Visit the Dashboard's new NYC HIV testing data visualization

Estimated metrics for tracking progress towards Ending the Epidemic in NYS



Receiving Any Care

By the end of 2020, increase the percentage of persons living with diagnosed HIV infection who receive any care to 90%.

Baseline:	2013	81%	Actual
	2014	81%	Actual
	2015	81%	Actual
	2016	84%	Target
	2017	86%	Target
	2018	88%	Target
	2019	89%	Target
Target:	2020	90%	

Measure: Any VL, CD4 or genotype test in NYSDOH HIV Surveillance system in calendar year.

Source: NYS HIV Surveillance System
as of January 2017

Viral Suppression – Receiving Any Care

By the end of 2020, increase the percentage of individuals living with diagnosed HIV infection and receiving any care with suppressed viral load to 95%.

Baseline:	2013	81%	Actual
	2014	84%	Actual
	2015	85%	Actual
	2016	87%	Target
	2017	89%	Target
	2018	91%	Target
	2019	93%	Target
Target:	2020	95%	

Source: NYS HIV Surveillance System
as of January 2017

Measure: Last VL test in calendar year is non detectable or <200 copies/ml in NYSDOH HIV Surveillance system.



Department
of Health

Viral Suppression - PLWDHI

By the end of 2020, increase the percentage of individuals living with diagnosed HIV infection with suppressed viral load to 85%.

Baseline:	2013	66%	Actual
	2014	68%	Actual
	2015	69%	Actual
	2016	73%	Target
	2017	76%	Target
	2018	79%	Target
	2019	82%	Target
Target:	2020	85%	

Source: NYS HIV Surveillance System
as of January 2017

Measure: Last VL test in calendar year is non detectable or <200 copies/ml in NYSDOH HIV Surveillance system.



Linkage to Care After Diagnosis

By the end of 2020, increase the percentage of newly diagnosed persons linked to HIV medical care within 30 days of diagnosis to at least 90%

Baseline:	2013	69%	Actual
	2014	72%	Actual
	2015	73%	Actual
	2016	78%	Target
	2017	81%	Target
	2018	84%	Target
	2019	87%	Target
Target:	2020	90%	

Source: NYS HIV Surveillance System
as of January 2017

Measure: Any CD4, VL or genotype test in
NYSDOH HIV Surveillance system.



Department
of Health

Time to AIDS

By the end of 2020, reduce the rate at which persons newly diagnosed with HIV progress to AIDS by 50%.

Baseline:	2012	10.4	Actual
	2013	6.9	Actual
	2014	8.9	Target
	2015	8.2	Target
	2016	7.6	Target
	2017	7.0	Target
	2018	6.4	Target
	2019	5.8	Target
Target:	2020	5.1	

Source: NYS HIV Surveillance System
as of January 2017

Measure: CD4 <200 (Stage 3 HIV)
within two years of diagnosis.



Department
of Health

Concurrent AIDS Diagnosis

By the end of 2020, reduce the proportion of persons with a diagnosis of AIDS within 30 days of HIV diagnosis to 15%.

Baseline:	2013	21.70%	736	Actual
	2014	19.60%	674	Actual
	2015	19.40%	612	Actual
	2016	18.40%	536	Target
	2017	17.60%	461	Target
	2018	16.70%	376	Target
	2019	15.80%	295	Target
Target:	2020	15.00%	225	

Source: NYS HIV Surveillance System
as of January 2017

Measure: CD4 <200 (Stage 3 HIV)
within 30 days of diagnosis.



Department
of Health

New HIV Diagnoses

By the end of 2020, reduce the number of new HIV diagnoses by 55%.

Baseline:	2013	3,391	Actual
	2014	3,443	Actual
	2015	3,155	Actual
	2016	2,911	Target
	2017	2,620	Target
	2018	2,253	Target
	2019	1,870	Target
Target:	2020	1,515	

Source: NYS HIV Surveillance System
as of January 2017

Measure: Number of newly diagnosed HIV cases reported.




Newly Diagnosed HIV Cases by Year of Diagnosis and Transmission Risk, NYS, 2010-2015

MSM new diagnoses

Change 2010 – 2014 : 0%

Change 2014 – 2015: -10%



Data as of January 2017

New HIV Infections (Incidence)

By the end of 2020, reduce the number of new HIV infections to 750.

Baseline:	2013	2,509	Actual
	2014	2,497	Actual
	2015	2,436	Actual
	2016	2,050	Target
	2017	1,750	Target
	2018	1,410	Target
	2019	1,060	Target
Target:	2020	750	
Source:	CDC Methodology applied to the NYS HIV Surveillance System		

Measure: Incidence estimates are calculated using CDC statistical method which was updated in May 2016.

Estimated HIV Infected and Aware of Status

By the end of 2020, increase the percentage of people living with HIV who know their serostatus to at least 98%.

Baseline:	2013	92%	Actual
	2014	92%	Actual
	2015	92%	Actual
	2016	93%	Target
	2017	94%	Target
	2018	95%	Target
	2019	96%	Target
Target:	2020	98%	

Source: NYS HIV Surveillance System
as of January 2017

<http://www.ETEdashboardny.org>

[Login](#)
[Sign up](#)

Ending the Epidemic

Measure, track, and disseminate information on progress towards achieving the End of the AIDS Epidemic in New York State



INTERESTED IN RECEIVING
NEW DATA AND RESEARCH?


[About](#)
[Visualizations](#)
[Blog](#)
[Communities](#)
[Measures](#)
[Events](#)
[Data Upload](#)
[Resources](#)
[Contact Us](#)

NEW INTERACTIVE DATA

Visit the Dashboard's new
interactive visualization to view
NYC HIV testing data by
neighborhood

Select HIV testing indicator:

- ☒ Tested in last 12 months
- ☐ Never Tested
- ☐ Tested among MSM
- ☐ Never Tested among MSM

Filters

SEX:

Total

RACE:

Total

AGE:

Total


Reset Filters

Highlight By Location

Search (HIV name and zip code)

Bed Stuy Crown Heights
2013

Select an area on the map to view UHF neighborhood level data
Tested in last 12 months, 2013





Questions

James M. Tesoriero, Ph.D.

Director, Division of Epidemiology Evaluation and Research
NYSDOH AIDS Institute

James.Tesoriero@health.ny.gov

518.474.7238