

# **New York State HIV Quality of Care Program Annual Benchmark Report**

Based on Performance Data from the 2020 Organizational Treatment Cascade Review  
with Comparison to Data from 2019

### **Overview of Organizational Treatment Cascade Data and Benchmark Report Methodology**

The NYS Qualify of Care Program within the Office of Quality Initiatives at the AIDS Institute organizes self-review of clinical care by HIV providers at hospitals and community health centers across New York State. These reviews serve to engage providers in the use of quality improvement methodology to improve identified deficits in care outcomes. Recent reviews have focused on HIV cascade of care indicators. Each participating medical organization includes all persons with HIV seen within the organization individually and without duplication (although they may match patients included in other submissions), and for each patient providers are required to include patient identifiers and information where available on sex at birth, current gender, race/ethnicity, primary language, HIV exposure risk, current housing status, diagnosis status (current or past) and HIV care enrollment status. Outcomes data are also provided for each patient as per indicators defined for particular caseloads. Measures related to antiretroviral therapy prescription, viral load testing and viral load suppression apply to all cohorts. Rates of timely linkage to care and baseline resistance testing\* are also calculated for newly diagnosed patients. Providers can validate their data and generate indicator scores within the data collection instrument. The Quality of Care Program asks that they use these results to develop quality improvement projects, descriptions of which, including annual goals, are included as part of the submission.

This benchmarking report enables providers to compare their individual HIV care results with statewide and regional results as a part of their efforts to improve HIV care. To prepare it, we used SAS statistical software, version 9.4, to clean and score these indicator data for all medical organizations that submitted retrospective treatment cascade reviews for care provided during the previous calendar year (i.e., the “review period”). (Some of the largest organizations completed multiple submissions defined by their ability to deduplicate data across clinics, and each of these submissions is treated as an “organization” in the tables and benchmark calculations.) For those that had also reported previously on care provided in the year preceding the review period, we calculate the change in each indicator for the reporting organization at the organizational and clinical levels, as applicable (see tables below). The distribution of these organization- and clinic-specific changes is characterized in separate sets of benchmark tables with the same parameters (mean, median, and various percentiles) used to report results for the review period. All benchmark calculations, including quartile thresholds and other summary statistics (e.g. means, medians, percentiles), were computed directly in SAS using its statistical procedures and custom macros. Conditional formatting to identify performance in the top (green) and bottom (red) quartiles – based on organizations or clinics with at least 10 eligible patients – was also applied within SAS-generated output. [These facility-identified results are not currently available as public reports; the data will be shared in a different format on the Health Data NY website.] These benchmarks are provided in three tables: organization level, clinic level, and clinic level within geographic regions\*\* defined by New York State Ryan White reporting (which, in New York City, correspond to that city’s five boroughs). These tables include statistics specific to each indicator for the number of organizations or clinics with eligible patients, number of eligible patients among organizations or clinics that had at least one, indicator performance rates (reported as percentages) among those with eligible patients, and degree of change from the prior year to the review period (expressed as percentage points).

Some indicator data were missing for a few different reasons. A few organizations did not provide any data for the current review period, and these results are coded “NS” (no submission) on the organization-level report (no entries are included for them in the clinic-level report). Other organizations provided data for the review period but not the preceding year, and this is coded as “PD” (partial data) for the degree-of-change columns. Some organizations provided data for one or both years but did not have any eligible patients for particular indicators; this is coded as “NEP” (no eligible patients). Finally, data provided for facilities within Health + Hospitals, the public health system in New York City, did not include sufficient information for scoring some indicators, and these instances are coded as “ND” (no data).

This report is not intended as a final ranking of performance as (i) random effects outside of provider control can have a significant impact on rates when caseloads are small and (ii) different organizations and even clinics within particular organizations face different challenges related both to client circumstances and institutional resources. Rather, the report is designed to provide general insights into individual and collective performance and identify areas for further improvement.

This report was prepared by Abdullah Albalawi, Christopher Wells and Daniel Belanger, all in the Quality of Care Program, Office of Quality Initiatives, AIDS Institute. If you have questions about this report, please feel free to contact us at [qocreviews@health.ny.gov](mailto:qocreviews@health.ny.gov).

\*Introduced for the review of care provided in 2019.

\*\*Mobile clinics could not be assigned to a specific region.

| Patient Status Categories   |  |  |   |
|---|--|--|---|
| Enrollment Status   | Diagnosis Status                                       |  |   |
|   | Newly Diagnosed by Reporting Organization              | Newly Diagnosed Outside Reporting Organization           | Previously Diagnosed (before Review Year) or Unknown Diagnosis Date |
| Active, new to organization   | "Newly diagnosed active - linkage eligible"            | "Newly diagnosed active - linkage ineligible"            | "Other new to care"   |
| Active, established in care   | NOT ALLOWED  |  | "Established active"  |
| Deceased, incarcerated, relocated outside New York State or receiving ongoing HIV care at another New York provider | "Linkage only"   | "Excused – newly diagnosed"                              | "Excused – previously diagnosed"                                    |
| HIV care status unknown   | "Newly diagnosed of unknown status – linkage eligible" | "Newly diagnosed of unknown status – linkage ineligible" | "Open non-active"   |

| Indicators  |   |                         |
|---|---|-------------------------|
| Measure   | Eligible Patients   | Applicable Levels       |
| Suppression on final viral load during the review year among established active patients                                | "Established active"  | Clinic and organization |
| Suppression on final viral load during the review year among other new to care patients                                 | "Other new to care"   | Clinic and organization |
| Suppression on final viral load during the review year among all previously diagnosed active patients                   | "Established active" and "Other new to care"  | Clinic and organization |
| Suppression on final viral load during the review year among "open" patients  | "Established active" and "Open non-active"  | Organization            |
| Viral load suppression within 91 days of diagnosis among patients diagnosed during the review year                      | "Newly diagnosed active - linkage eligible", "newly diagnosed active - linkage ineligible", "Newly diagnosed of unknown status - linkage eligible" and "Newly diagnosed of unknown status - linkage ineligible" | Organization            |
| Linkage to care (HIV-specific care visit or ARV prescription) within 3 days of diagnosis among newly diagnosed patients | "Newly diagnosed active - linkage eligible", "Newly diagnosed of unknown status - linkage eligible" and "Linkage only"  | Organization            |
| Resistance testing among active newly diagnosed patients*   | "Newly diagnosed active - linkage eligible" and "newly diagnosed active - linkage ineligible"   | Organization            |

\*Introduced for the review of care provided in 2019.

## Summary Statistics

| New York State<br>Organization-Level<br>Caseload Statistics and<br>Performance Benchmarks | Established<br>Active Patients -<br>Suppression on<br>Final Viral Load | Previously<br>Diagnosed but<br>New to Care<br>Patients -<br>Suppression on<br>Final Viral Load | All Previously<br>Diagnosed<br>Active Patients -<br>Suppression on<br>Final Viral Load | (Open Patients) -<br>Suppression on<br>Final Viral Load | Newly Diagnosed<br>Patients (Dx.<br>Internally) –<br>3-Day Linkage to<br>Care | Newly Diagnosed<br>Patients (Active<br>Pts.) – Resistance<br>Testing | Newly Diagnosed<br>Patients – Viral<br>Load Suppression<br>(Within 91 Days of<br>Dx.) |
|---|--|--|--|---|---|--|---|
| 2020 Participation and Caseloads  |  |  |  |   |   |  |   |
| Organizations with Patient Data for 2019 and 2020   | 64   | 62   | 81   | 64  | 49  | 70   | 56  |
| Organizations with Patient Data for 2020 Only   | 9  | 10   | 9  | 9   | 14  | 11   | 26  |
| Organizations with No Eligible Patients in 2020   | 0  | 1  | 0  | 0   | 10  | 9  | 8   |
| Organizations with No Data for Scoring This Indicator                                     | 0  | 0  | 0  | 0   | 0   | 0  | 0   |
| Organizations Without an Approved Submission (2020)                                       | 23   | 23   | 6  | 23  | 23  | 6  | 6   |
| Average Caseload  | 757  | 56   | 794  | 1061  | 11  | 14   | 15  |
| 10th Percentile Caseload  | 67   | 4  | 73   | 95  | 1   | 1  | 1   |
| 25th Percentile Caseload  | 172  | 8  | 183  | 205   | 3   | 4  | 4   |
| Median Caseload   | 343  | 26   | 441  | 466   | 7   | 9  | 11  |
| 75th Percentile Caseload  | 901  | 64   | 1120   | 1084  | 12  | 20   | 20  |
| 90th Percentile Caseload  | 1394   | 149  | 1590   | 2175  | 26  | 27   | 29  |
| 2020 Indicator Benchmarks   |  |  |  |   |   |  |   |
| Average Rate  | 84.6%  | 73.2%  | 83.6%  | 72.7%   | 50.4%   | 69.9%  | 46.7%   |
| 10th Percentile Rate  | 72.9%  | 51.9%  | 71.8%  | 40.5%   | 0.0%  | 8.0%   | 0.0%  |
| 25th Percentile Rate  | 80.9%  | 64.1%  | 80.0%  | 62.7%   | 16.7%   | 55.0%  | 27.3%   |
| Median Rate   | 87.0%  | 77.0%  | 85.0%  | 77.3%   | 54.5%   | 80.0%  | 46.1%   |
| 75th Percentile Rate  | 91.2%  | 86.5%  | 90.3%  | 86.1%   | 81.8%   | 100.0%   | 64.0%   |
| 90th Percentile Rate  | 93.8%  | 100.0%   | 92.9%  | 90.8%   | 100.0%  | 100.0%   | 100.0%  |
| Benchmarks for Percentage Point Change by Organization from 2019 to 2020                  |  |  |  |   |   |  |   |
| Average Change  | -1.2   | -1.6   | -1.1   | -1.3  | 1.3   | 6.4  | -3.5  |
| 10th Percentile Change  | -7.0   | -22.2  | -6.0   | -10.1   | -41.7   | -31.6  | -46.4   |
| 25th Percentile Change  | -5.1   | -11.8  | -4.4   | -5.6  | -8.2  | -5.9   | -20.6   |
| Median Change   | -1.8   | -2.2   | -1.3   | -1.5  | 0.0   | 1.2  | -1.8  |
| 75th Percentile Change  | 1.3  | 6.0  | 0.7  | 2.6   | 19.2  | 14.3   | 13.7  |
| 90th Percentile Change  | 6.5  | 25.1   | 4.3  | 7.2   | 28.6  | 60.7   | 33.3  |

## Summary Statistics - New York State

| New York State<br>Clinic-Level<br>Caseload Statistics and<br>Performance Benchmarks | Established<br>Active Patients -<br>Suppression on Final Viral Load | Previously<br>Diagnosed but<br>New to Care<br>Patients -<br>Suppression on Final Viral Load | All Previously<br>Diagnosed<br>Active Patients -<br>Suppression on Final Viral Load |
|---|---|---|---|
| 2020 Participation and Caseloads  |   |   |   |
| Clinics with Patient Data for 2019 and 2020   | 195   | 154   | 220   |
| Clinics with Patient Data for 2020 Only   | 32  | 35  | 29  |
| Clinics with No Eligible Patients in 2020   | 9   | 47  | 4   |
| Clinics with No Data for Scoring This Indicator                                     | 0   | 0   | 0   |
| Clinics Without an Approved Submission (2020)                                       | 179   | 179   | 162   |
| Average Caseload  | 243   | 21  | 287   |
| 10th Percentile Caseload  | 3   | 1   | 3   |
| 25th Percentile Caseload  | 14  | 3   | 16  |
| Median Caseload   | 66  | 7   | 74  |
| 75th Percentile Caseload  | 226   | 25  | 306   |
| 90th Percentile Caseload  | 638   | 55  | 912   |
| 2020 Indicator Benchmarks   |   |   |   |
| Average Rate  | 78.4%   | 66.2%   | 77.2%   |
| 10th Percentile Rate  | 50.0%   | 20.0%   | 50.0%   |
| 25th Percentile Rate  | 73.0%   | 50.0%   | 71.4%   |
| Median Rate   | 84.7%   | 71.4%   | 83.7%   |
| 75th Percentile Rate  | 92.2%   | 88.9%   | 90.9%   |
| 90th Percentile Rate  | 100.0%  | 100.0%  | 96.7%   |
| Benchmarks for Percentage Point Change by Clinic from 2019 to 2020                  |   |   |   |
| Average Change  | -3.9  | -6.7  | -4.1  |
| 10th Percentile Change  | -15.0   | -44.4   | -16.8   |
| 25th Percentile Change  | -6.5  | -19.5   | -6.1  |
| Median Change   | -1.6  | -0.4  | -1.8  |
| 75th Percentile Change  | 1.9   | 8.3   | 1.5   |
| 90th Percentile Change  | 8.9   | 28.6  | 7.7   |

**Summary Statistics - New York City by Region (Borough)**

| <b>Clinic-Level Caseload Statistics and Performance Benchmarks for New York City Regions (Boroughs)</b> | <b>Established Active Patients – Suppression on Final Viral Load</b> | <b>Previously Diagnosed but New to Care Patients – Suppression on Final Viral Load</b> | <b>All Previously Diagnosed Active Patients – Suppression on Final Viral Load</b> |
|---|--|--|---|
| New York City - Number of Clinics with Patient Data for 2020  | 146  | 122  | 166   |
| New York City - Median Indicator Rate for 2020  | 80.0%  | 66.7%  | 80.0%   |
| New York City - 25th Percentile Indicator Rate for 2020   | 70.3%  | 42.9%  | 68.3%   |
| New York City - 75th Percentile Indicator Rate for 2020   | 87.7%  | 81.9%  | 86.6%   |
| Bronx - Clinics with Patient Data for 2020  | 46   | 33   | 51  |
| Bronx - Median Rate for 2020  | 75.4%  | 51.9%  | 76.6%   |
| Bronx - 25th Percentile Rate for 2020   | 66.7%  | 33.3%  | 65.7%   |
| Bronx - 75th Percentile Rate for 2020   | 85.2%  | 83.3%  | 85.0%   |
| Brooklyn - Clinics with Patient Data for 2020   | 33   | 29   | 39  |
| Brooklyn - Median Rate for 2020   | 80.0%  | 66.7%  | 79.6%   |
| Brooklyn - 25th Percentile Rate for 2020  | 72.4%  | 50.0%  | 69.4%   |
| Brooklyn - 75th Percentile Rate for 2020  | 86.4%  | 76.7%  | 84.8%   |
| Manhattan - Clinics with Patient Data for 2020  | 47   | 41   | 52  |
| Manhattan - Median Rate for 2020  | 81.6%  | 68.1%  | 80.9%   |
| Manhattan - 25th Percentile Rate for 2020   | 67.7%  | 56.3%  | 69.5%   |
| Manhattan - 75th Percentile Rate for 2020   | 87.9%  | 81.9%  | 86.9%   |
| Queens - Clinics with Patient Data for 2020   | 14   | 14   | 18  |
| Queens - Median Rate for 2020   | 87.2%  | 72.8%  | 85.0%   |
| Queens - 25th Percentile Rate for 2020  | 76.8%  | 50.0%  | 70.5%   |
| Queens - 75th Percentile Rate for 2020  | 94.5%  | 84.6%  | 90.6%   |
| Staten Island - Clinics with Patient Data for 2020  | 4  | 3  | 4   |
| Staten Island - Median Rate for 2020  | 76.1%  | 64.3%  | 76.4%   |
| Staten Island - 25th Percentile Rate for 2020   | 68.8%  | 34.5%  | 65.0%   |
| Staten Island - 75th Percentile Rate for 2020   | 86.6%  | 100.0%   | 85.7%   |

## Summary Statistics - Rest of State by Region

| Clinic-Level Caseload Statistics and Performance Benchmarks for Regions Outside New York City | Established Active Patients – Suppression on Final Viral Load | Previously Diagnosed but New to Care Patients – Suppression on Final Viral Load | All Previously Diagnosed Active Patients – Suppression on Final Viral Load |
|---|---|---|--|
| Rest of State - Number of Clinics with Patient Data for 2020                                  | 81  | 67  | 83   |
| Rest of State - Median Indicator Rate for 2020  | 92.0%   | 84.8%   | 91.7%  |
| Rest of State - 25th Percentile Indicator Rate for 2020                                       | 85.7%   | 62.5%   | 84.0%  |
| Rest of State - 75th Percentile Indicator Rate for 2020                                       | 95.6%   | 100.0%  | 95.2%  |
| Central NY - Clinics with Patient Data for 2020   | 10  | 7   | 10   |
| Central NY - Median Rate for 2020   | 92.1%   | 80.6%   | 88.7%  |
| Central NY - 25th Percentile Rate for 2020  | 83.8%   | 62.5%   | 83.3%  |
| Central NY - 75th Percentile Rate for 2020  | 94.1%   | 100.0%  | 92.4%  |
| Finger Lakes - Clinics with Patient Data for 2020   | 11  | 9   | 11   |
| Finger Lakes - Median Rate for 2020   | 88.5%   | 80.0%   | 86.5%  |
| Finger Lakes - 25th Percentile Rate for 2020  | 82.4%   | 60.0%   | 81.1%  |
| Finger Lakes - 75th Percentile Rate for 2020  | 100.0%  | 85.1%   | 100.0%   |
| Long Island - Clinics with Patient Data for 2020  | 15  | 16  | 16   |
| Long Island - Median Rate for 2020  | 94.6%   | 94.4%   | 94.0%  |
| Long Island - 25th Percentile Rate for 2020   | 86.0%   | 62.9%   | 88.9%  |
| Long Island - 75th Percentile Rate for 2020   | 97.0%   | 100.0%  | 96.5%  |
| Lower Hudson - Clinics with Patient Data for 2020   | 16  | 12  | 16   |
| Lower Hudson - Median Rate for 2020   | 93.8%   | 82.1%   | 92.1%  |
| Lower Hudson - 25th Percentile Rate for 2020  | 90.8%   | 50.0%   | 89.6%  |
| Lower Hudson - 75th Percentile Rate for 2020  | 99.3%   | 100.0%  | 99.4%  |
| Mid Hudson - Clinics with Patient Data for 2020   | 16  | 13  | 17   |
| Mid Hudson - Median Rate for 2020   | 85.7%   | 88.9%   | 87.5%  |
| Mid Hudson - 25th Percentile Rate for 2020  | 41.7%   | 66.7%   | 60.0%  |
| Mid Hudson - 75th Percentile Rate for 2020  | 92.5%   | 100.0%  | 92.9%  |
| Northeastern NY - Clinics with Patient Data for 2020  | 11  | 8   | 11   |
| Northeastern NY - Median Rate for 2020  | 90.3%   | 89.5%   | 88.5%  |
| Northeastern NY - 25th Percentile Rate for 2020   | 86.1%   | 65.5%   | 85.7%  |
| Northeastern NY - 75th Percentile Rate for 2020   | 94.9%   | 100.0%  | 93.8%  |



|   |       |       |       |
|---|-------|-------|-------|
| Western NY - Clinics with Patient Data for 2020 | 2     | 2     | 2     |
| Western NY - Median Rate for 2020               | 90.6% | 81.6% | 90.3% |
| Western NY - 25th Percentile Rate for 2020      | 90.1% | 76.9% | 89.8% |
| Western NY - 75th Percentile Rate for 2020      | 91.2% | 86.4% | 90.8% |